poseidon / concept Gantry CNC machining centers for large size working areas





CMS is part of SCM Group, a technological world leader in processing a wide range of materials: wood, plastic, glass, stone, metal, and composites. The Group companies, operating throughout the world, are reliable partners of leading manufacturing industries in various market sectors, including the furniture, construction, automotive, aerospace, ship-building, and plastic processing industries. SCM Group coordinates, supports, and develops a system of industrial excellence in three large, highly specialized production centers employing more than 4,000 workers and operating in five continents. SCM Group: the most advanced skills and know-how in the fields of industrial machinery and components.

CMS SpA manufactures machinery and systems for the machining of composite materials, carbon fiber, aluminum, light alloys, plastic, glass, stone, and metals. It was established in 1969 by Mr Pietro Aceti with a vision of offering customized and state-of-the-art solutions, based on the in-depth understanding of the customer's production needs. Significant technological innovations, originating from substantial investments in research and development and take-overs of premium companies, have enabled constant growth in the various sectors of reference



advanced materials technology

CMS Advanced Materials Technology is a leader in the field of numerically controlled machining centers for the working of advanced materials: composites, carbon fiber, aluminum, and light alloys. Substantial investiments in research and development have allowed the brand to always be on the forefront of cuttingedge design, with machines that ensure best-in-class performance in terms of accuracy, speed of execution, and reliability; meeting the needs of customers operating in the most demanding divisions.

Since the early 2000's, **CMS Advanced Materials Technology** has established itself as a technology partner in areas of excellence such as aerospace, aviation, automotive, race boating, Formula 1, and the most advanced railway industry.

scm group industrial machinery and components





poseidon / concept

APPLICATIONS	4-5
POSEIDON / CONCEPT TECHNOLOGICAL BENEFITS	6-7
POSEIDON / CONCEPT OVERALL DIMENSIONS AND TECHNICAL DATA	8-11
POSEIDON / CONCEPT SPECIAL SOLUTIONS	12-13
CMS CONNECT	14
CMS ACTIVE	15
SERVICE	16-17
THE RANGE	18-19

APPLICATIONS



POSEIDON / CONCEPT **TECHNOLOGICAL BENEFITS**

Cms

HIGH SPEED 5-AXIS CNC MACHINE

Numerically controlled machining centre designed according to CMS' philosophy: the machine is the result and culmination of experiences developed in the aerospace and marine sectors. The structure and the technical solutions adopted, along with the selected components, ensure a highest level of component finish, high machining speeds, reliability, structural rigidity, operating flexibility and outstanding productivity.

- The large work surface dimensions enable the effective machining of mid to large-sized workpieces.
- High power, geometric accuracy and reliability even in the most complex machining operations.
- Modular structure, extreme versatility, easily adaptable to the needs of customers operating in very demanding sectors, such as the automotive and aerospace industries.





Operating unit HX5 - 20 KW



Bellows-type roof for dust and chips control



To the excellent performances of the poseidon, the concept has kinematics with two drive motors on linear axes - backlash




KEY BUYER BENEFITS

- + Limitless performan. With these machines there are no problems with the workpiece sizes; even in the extremely complex sectors like boating, wind power and automotive. Above all, thanks to the aeronautical design concepts applied to the frames, CMS has made no compromises on performance with volumetric accuracies 21% lower than the segment average.
- + Better and faster. High operating power, geometric precision and reliability even in the most complex machining operations lead to a single result: producing better workpieces more quickly. Poseidon has been designed to adapt to your manufacturing reality and make it even more efficient and competitive.
- + Tailor made. Single or double operating unit, single or double working area, 5-axis milling unit from 12 to 32 kW, 5-axis units with waterjet technology, over 100 dimensions: undeniably the most efficient configuration for every production reality. No compromises!

POSEIDON / CONCEPT

OVERALL DIMENSIONS AND TECHNICAL DATA




POSEIDON			
STROKES AND) SPEEDS		
AXES	AXES STROKES		RAPIDS
X [MM]	2,5-4-5-6-7,5-8-10-13-1	85 m/min	
Y [MM]	2600-4000-5000-6200	5000-6200-8500	85 m/min
Z [MM]	1300-2000-2500 1300-2000-2500-3000T*-3500-4000-4000T*		45 m/min
A[°]	+/-120° (PX5, HX5), +/-110° (KX5)		9000°/min
C[°]	+/-270° (PX5), +/-245° (HX5) +/-300° (KX5)		9000°/min

CONCEPT				
STROKES AND SP	EEDS			
AXES	AXES S	RAPIDS		
X [MM]	2,5-4-5-6-7,5-8-1	85 m/min		
Y [MM]	2600-4000-5000-6200	5000-6200	85 m/min	
Z [MM]	1300-2000-2500	3000	45 m/min	
A[°]	+/-120° (PX5, H)	9000°/min		
C[°]	+/-270° (PX5), +/-24	9000°/min		

POSEIDON - CONCEPT		
TECHNICAL FEATURES	POSEIDON	CONCEPT
MOTORIZATION X	GANTRY SINGLE SERVOMOTOR	GANTRY DOUBLE SERVOMOTOR
MOTORIZATION Y	SINGLE SERVOMOTOR	GANTRY DOUBLE SERVOMOTOR
MOTORIZATION Z	SINGLE SERVOMOTOR	SINGLE SERVOMOTOR

POSEIDON / CONCEPT

OVERALL DIMENSIONS AND TECHNICAL DATA



	POSEI	OON			С	ONCEPT	
			CAST	-IRON WORKING TA	BLE		
Table Width			Table Length				
2.500	mm, 3.500	mm, 4.500 n	nm	Please use the machine stroke less 500 mm			
		;	STEELWORK	TABLE AND RELEVA	NT PLANES		
	Table W	/idth			Tal	ole Length	
2.000	mm, 3.200	mm, 4.400 n	nm		From 2 m to	40 m, 2 meters'pitch	
			STROK	ES AND ENCUMBRA	ANCE		
			A	XES STROKES [mm]			
Z STROKE [MM]	1300	2000	2500	3000/3000 Telescopic	3500	4000/4000 Telescopic	5300 Telescopic
A [MM]	5000	6400	7500	8400/7100	9400	10400/8600	10700
			AX	ES STROKES X [mm	1]		
X STROKE [MM]	2500	4000	5000	6000	7500	8000	10000
B [MM]	6200	8000	8800	10700	12100	12600	14800
X STROKE [MM]	13000	15500	18000	20500	23500	26000	28500
B [MM]	18100	20700	23500	26600	30500	33200	35800
X STROKE [MM]	31000	34000	36500	39000	41500		
B [MM]	38500	41700	44400	48000	50600		
AXES STROKES Y [mm]							
Y STROKE [MM]	2600	4000	5000	6200	8500	10000*	
C [MM]	5600	7600	8600	10000	13700	14850	

^{*} The Y 10000 version has the X kinematics with two drive motors -backlash recovery

NOTE: Approx values

NOTE: The values for the encumbrance in Y direction can change with different door models

TOOL CHANGER MAGAZINES					
	STANDARD				
	PICK UP MAGAZINE	TOOL CAROUSEL	ON BOARD*		
N.STATIONS	16	30	8		
HOLDER INTERAXES [MM]	110	85	80		
Ø MAX WITHOUT LIMITATION [MM]	100	80	70		
Ø MAX WITH LIMITATION [MM]	300	300	200		
MAX TOOL LENGTH** [MM]	500 (for Z1300) 750 (for Z >=2000)	471	150		
MAX WEIGTH SINGLE TOOL [KG]	5	8	3		

^{*} Available only for PX5

Working unit multiple configuration available
** Values from the spindle nose.

POSEIDON / CONCEPT

SPECIAL SOLUTIONS



APC EXTRACTABLE TABLES ALLOW THE LOADING AND UNLOADING OUTSIDE THE WORKING AREA



ROTARY TABLE: SIMPLIFIES LOADING/UNLOADING OUTSIDE THE MACHINE AND ALLOWS PENDULUM CYCLE USING THE COMPLETE WORKING AREA



DOUBLE BRIDGE WITH TWIN OPERATING UNITS



5-AXIS HYBRID SOLUTION: MILLING + WATERJET CUTTING SYSTEM WITH CATCHER

CMS connect the IoT platform perfectly integrated with the latest-generation CMS machines

CMS Connect is able to offer customised micro services through the use of IoT Apps that support the daily activities of industry operators - improving the availability and use of machines or systems. The platform displays, analyses and monitors all data from connected machines. The data collected by the machines in real time become useful information increase machine productivity, reduce operating and maintenance costs and cut energy costs.

CMS active a revolutionary interaction with your CMS machine

Cms active is our new interface. The same operator can easily control different machines as the "CMS Active interfaces maintain the same look&feel, icons and iteration approach.



APPLICATIONS

SMART MACHINE: Section designed for the continuous monitoring of machine operation, with information on:

Status: machine status overviews. The representations provided allow machine availability to be checked - to identify possible bottlenecks in the production flow;

Monitoring: instantaneous, live display of the operation of the machine and its components, of currently running programs and potentiometers;

Production: list of machine programs run within a given timeframe with best time and average running time:

Alarms: active and historical warnings.

SMART MAINTENANCE

This section provides a first approach to predictive maintenance by sending notifications when machine components indicate a potentially critical state associated with reaching a certain threshold. In this way, it is possible to take action and schedule maintenance ser- vices, without any down-time.

SMART MANAGEMENT

Section designed for KPI presentation for all the machines connected to the platform. The indicators provided assess of the availability, productivity and. The indicators provided assess of the availability,

productivity and efficiency of the machine and the quality of the product.

MAXIMISED SECURITY

CMS Connect uses the standard OPC-UA communication protocol, which guarantees the encryption of data at Edge interface level. CMS Connect's Cloud and DataLake levels meet all state-of-theart cyber-security requirements. Customer data are encrypted and authenticated to ensure total protection of sensitive information.

ADVANTAGES

- ✓ Optimisation of production performance
- ✓ Diagnostics to support components warranty optimisation
- ✓ Productivity increase and downtime reduction
- ✓ Improvement of quality control
- ✓ Maintenance costs down

EASY OF USE

The new interface has been especially developed and optimized to be immediately used via touch screen. Graphics and icons have been redesigned for user-friendly and comfortable navigation.

ADVANCED ORGANIZATION OF PRODUCTION

Cms Active enables configuring different users with different roles and responsibilities according to the operation mode of the machining centre (e.g.: operator, maintainance man, administrator, ...).

It is also possible to define the work shifts on the machining centre and then survey activities, productivity and events that have occurred in each shift.

ABSOLUTE QUALITY OF THE FINISHED WORKPIECE

With CMS aActive the quality of the finished workpiece is no longer jeopardized by worn-out tools. The new Tool Life Determination system of CMS Active sends warning messages when the tool life is running out and recommends its replacement at the most appropriate time.

TOOL SET-UP? NO PROBLEM!

CMS Active guides the operator during the tool magazine set-up phase, also allowing for the programs to be run.



SERVICEOUR TECHICIANS BY YOUR SIDE ALL OVER THE WORLD











Changes & Retrofitting

Spare Parts

A GLOBAL PRESENCE FOR BEST-IN-CLASS SERVICE

- 36,000 different codes to serve machinery of all ages;
- 1 central warehouse at the headquarters in Zogno and 6 bases around the world fully integrated at IT level and controlled by a shipping optimisation software to reduce waiting times;
- 98% of orders available in stock;
- spare parts guaranteed thanks to a scrupulous control process and validation via our internal quality laboratory;
- availability to draw up recommended spare parts lists based on client needs, to reduce down time to a minimum;

CMS ADVANCED MATERIALS TECHNOLOGY RANGE OF MACHINES

FOR COMPOSITE MATERIALS, ALUMINUM AND METAL PROCESSING







CNC MACHINING CENTER FOR THE EYEWEAR INDUSTRY

WIND BLADE **WORKING SYSTEMS**





CNC MACHINING CENTERS FOR GUNSTOCKS PROCESSING







MULTILATHE

WATERJET CUTTING SYSTEMS





